



Small, strong and versatile



Superlift S 225




The efficient hoist for building and renovation jobs

Superlift S 225

– the compact rope hoist

Practical, lightweight, easy to assemble and powerful hoist for economic and safe material transport.

- Fast assembly – platform to be fixed by one screw only
- Minimum space requirement due to 90° swivelling platform
- Easy transport due to special lightweight basic components
- Platform suitable for Euro pallets
- Alu masts weighing 15 kg only thus especially light and easy to assembly
- Comprehensive safety equipment such as speed-governed safety brake and mast override protection etc.
- Meets European safety standard EN 12158-1
- TÜV approved
- Drive unit can be used with Toplift Universal as well





Transport – Due to rubber tyre wheels the base unit can be transported easily on the jobsite.



Platform – The swivelling platform enables use on narrow sites.



Mast Fixing – The aluminium mast can be steplessly fixed to the scaffold resp. building.



Drive unit can be used either for Superlift S225 or Toplift 225 Universal

Technical Data

Capacity [kg]	200
Drive system	Rope (6 mm diameter)
Platform [m]	Interior dimensions (LxWxH) 1.40 x 0.85 x 1.10
Loading height [m]	0.20
Max. lifting height [m]	50
Free mast tip [m]	1
Tie distance [m]	2
Height of alu mast [m]	2
Weight of alu mast [kg]	15
Weight of base unit with carriage [kg]	120
Weight of drive unit [kg]	54
Weight of platform [kg]	75
Lifting speed [m/min]	25
Motor capacity [kW]	1.3
Fuse [Ampere]	16 (slow)
Voltage [V/Hz]	230 / 50
Control voltage [V]	24

All rights reserved for changes in dimension and construction.

Böcker Belgium NV

Boomsesteenweg 101 · D-2630 Aartselaar

Fon +32 (0) 3/45 76 241

Fax +32 (0) 3/45 76 242

Mail belgium@boecker-group.com

Böcker France SAS

Zac du TEC · F-30320 Marguerittes

Fon +33 (0)4 6620 9364

Fax +33 (0)4 6620 9926

Mail france@boecker-group.com

Böcker Italia srl

Via C. Beccaria 3 · I-37036 San Martino

Fon +39 045 / 87 80 399

Fax +39 045 / 87 80 420

Mail italia@boecker-group.com

Böcker Nederland B.V.

Rolweg 25 · NL-4104 AV Culemborg

Fon +31 (0) 345/51 00 99

Fax +31 (0) 345/51 08 66

Mail nederland@boecker-group.com

Böcker Schweiz AG

Striegelstraße 1 · CH-4665 Ortringen

Fon +41 (0) 62/797 62 62

Fax +41 (0) 62/797 62 68

Mail schweiz@boecker-group.com



Böcker Maschinenwerke GmbH

Lippestraße 69-73 · D-59368 Werne

Fon +49 (0) 23 89/79 89-0

Fax +49 (0) 23 89/79 89-9000

Mail info@boecker-group.com

Web www.boecker-group.com